



**A Bibliography  
on the  
Impacts of Climate Change and Variability  
on  
Ground-Water Resources.**

The IAH Working Group on Ground Water and Climate Change was approved by the IAH Council in Bled in September 2003.

(see: <http://www.silsoe.cranfield.ac.uk/iwe/projects/iahgroup/introduction.htm> )

**Goals:**

The Working Group on Ground Water and Climate Change aims to:

- 1 Bring together and further develop hydrogeological research on the various interactions between groundwater and climate change.
- 2 Exchange of knowledge and experience between hydrogeologists (IAH) and other scientists, engineers and decision makers.

**Affiliations:**

Currently [28 colleagues from 14 countries and 5 continents](#) have expressed a willingness to cooperate with the working group.

- Abler D, Shortle J, Carmichael J, Horan R (2002) Climate change, agriculture and water quality in the Chesapeake Bay Region. *Climatic Change* 55: 339-359
- Alderwish, A. and El-Eryani, M., 1999. An approach for assessing the vulnerability of the water resources of Yemen to climate change. *Climate Research*, 12(2-3): 85-89.
- Almendinger, J.E. and Leete, J.H., 1998. Peat characteristics and groundwater geochemistry of calcareous fens in the Minnesota River Basin, USA. *Biogeochemistry*, 43(1): 17-41.
- Arnell, N.W., 1992. Factors Controlling the Effects of Climate Change on River Flow Regimes in a Humid Temperature Environment. *Journal of Hydrology*, 132(1-4): 321-342.
- Arnell, N.W., 1998. Climate change and water resources in Britain. *Climatic Change*, 39(1): 83-110.
- Augustin, J., Merbach, W., Schmidt, W. and Reining, E., 1996. Effect of changing temperature and water table on trace gas emission from minerotrophic mires. *Journal of Applied Botany-Angewandte Botanik*, 70(1-2): 45-51.
- Auler, A.S. and Smart, P.L., 2001. Late quaternary paleoclimate in semiarid northeastern Brazil from U-Series dating of travertine and water-table speleothems. *Quaternary Research*, 55(2): 159-167.
- Bachu, S., 2000. Sequestration of CO<sub>2</sub> in geological media: criteria and approach for site selection in response to climate change. *Energy Conversion and Management*, 41(9): 953-970.
- Bachu, S., 2002. Sequestration of CO<sub>2</sub> in geological media in response to climate change: road map for site selection using the transform of the geological space into the CO<sub>2</sub> phase space. *Energy Conversion and Management*, 43(1): 87-102.
- Bajjali, W. and Abu-Jaber, N., 2001. Climatological signals of the paleogroundwater in Jordan. *Journal of Hydrology*, 243(1-2): 133-147.
- Baker, A., Barnes, W.L. and Smart, P.L., 1996a. Speleothem luminescence intensity and spectral characteristics: Signal calibration and a record of palaeovegetation change. *Chemical Geology*, 130(1-2): 65-76.
- Baker, A., Genty, D. and Smart, P.L., 1998. High-resolution records of soil humification and paleoclimate change from variations in speleothem luminescence excitation and emission wavelengths. *Geology*, 26(10): 903-906.
- Baker, A., Ito, E., Smart, P.L. and McEwan, R.F., 1997. Elevated and variable values of C-13 in speleothems in a British cave system. *Chemical Geology*, 136(3-4): 263-270.
- Baker, A., Smart, P.L. and Edwards, R.L., 1996b. Mass spectrometric dating of flowstones from Stump Cross Caverns and Lancaster Hole, Yorkshire: Palaeoclimate implications. *Journal of Quaternary Science*, 11(2): 107-114.
- Bakker, K.J., 2000. Privatizing water, producing scarcity: The Yorkshire drought of 1995. *Economic Geography*, 76(1): 4-27.
- Baldini, J.U., McDermott, F. and Fairchild, I.J., 2002a. Speleothem trace elements as palaeohydrological proxies during the '8,200 year' cold/dry event. *Geochimica Et Cosmochimica Acta*, 66(15A): A46-A46.
- Baldini, J.U.L., McDermott, F. and Fairchild, I.J., 2002b. Structure of the 8200-year cold event revealed by a speleothem trace element record. *Science*, 296(5576): 2203-2206.
- Baron, J.S. and Caine, N., 2000. Temporal coherence of two alpine lake basins of the Colorado Front Range, USA. *Freshwater Biology*, 43(3): 463-476.
- Baron, J.S. et al., 1998. Effects of land cover, water redistribution, and temperature on ecosystem processes in the South Platte Basin. *Ecological Applications*, 8(4): 1037-1051.
- Baron, J.S. et al., 2002. Meeting ecological and societal needs for freshwater. *Ecological Applications*, 12(5): 1247-1260.
- Beckerheidmann, P. and Scharpenseel, H.W., 1992. The Use of Natural C-14 and C-13 in Soils for Studies on Global Climate Change. *Radiocarbon*, 34(3): 535-540.
- Beeton, A.M., 2002. Large freshwater lakes: present state, trends, and future. *Environmental Conservation*, 29(1): 21-38.
- Betancourt, J.L., Latorre, C., Rech, J.A., Quade, J. and Rylander, K.A., 2000. A 22,000-year record of monsoonal precipitation from Northern Chile's Atacama Desert. *Science*, 289(5484): 1542-1546.

- Bobba, A.G., 2002. Numerical modelling of salt-water intrusion due to human activities and sea-level change in the Godavari Delta, India. *Hydrological Sciences Journal-Journal Des Sciences Hydrologiques*, 47: S67-S80.
- Bobba, A.G., Singh, V.P. and Bengtsson, L., 2000a. Application of environmental models to different hydrological systems. *Ecological Modelling*, 125(1): 15-49.
- Bobba, A.G., Singh, V.P., Berndtsson, R. and Bengtsson, L., 2000b. Numerical simulation of saltwater intrusion into Laccadive Island aquifers due to climate change. *Journal of the Geological Society of India*, 55(6): 589-612.
- Bobba, A.G., Singh, V.P., Jeffries, D.S. and Bengtsson, L., 1997. Application of a watershed runoff model to north-east pond river, Newfoundland: To study water balance and hydrological characteristics owing to atmospheric change. *Hydrological Processes*, 11(12): 1573-1593.
- Boesch, D.F., Brinsfield, R.B. and Magnien, R.E., 2001. Chesapeake Bay eutrophication: Scientific understanding, ecosystem restoration, and challenges for agriculture. *Journal of Environmental Quality*, 30(2): 303-320.
- Bragg, O.M., 2002. Hydrology of peat-forming wetlands in Scotland. *Science of the Total Environment*, 294(1-3): 111-129.
- Bridgham, S.D. et al., 1999. Ecosystem control over temperature and energy flux in northern peatlands. *Ecological Applications*, 9(4): 1345-1358.
- Burger, K.C., Degenhardt, J.J. and Giardino, J.R., 1999. Engineering geomorphology of rock glaciers. *Geomorphology*, 31(1-4): 93-132.
- Caine, N., 2002. Declining ice thickness on an alpine lake is generated by increased winter precipitation. *Climatic Change*, 54(4): 463-470.
- Calder, J.H., 1994. The Impact of Climate-Change, Tectonism and Hydrology on the Formation of Carboniferous Tropical Intermontane Mires - the Springhill Coalfield, Cumberland Basin, Nova-Scotia. *Palaeogeography Palaeoclimatology Palaeoecology*, 106(1-4): 323-351.
- Campbell, I.D. and Campbell, C., 2000. Late Holocene vegetation and fire history at the southern boreal forest margin in Alberta, Canada. *Palaeogeography Palaeoclimatology Palaeoecology*, 164(1-4): 263-280.
- Carr, M.H., 1995. The Martian Drainage System and the Origin of Valley Networks and Fretted Channels. *Journal of Geophysical Research-Planets*, 100(E4): 7479-7507.
- Caruso, B.S., 2002. Temporal and spatial patterns of extreme low flows and effects on stream ecosystems in Otago, New Zealand. *Journal of Hydrology*, 257(1-4): 115-133.
- Carvalho, L. and Moss, B., 1999. Climate sensitivity of Oak Mere: a low altitude acid lake. *Freshwater Biology*, 42(3): 585-591.
- Chen, C.C., Gillig, D. and McCarl, B.A., 2001. Effects of climatic change on a water dependent regional economy: A study of the Texas Edwards Aquifer. *Climatic Change*, 49(4): 397-409.
- Chen, Z.H., Grasby, S.E. and Osadetz, K.G., 2002. Predicting average annual groundwater levels from climatic variables: an empirical model. *Journal of Hydrology*, 260(1-4): 102-117.
- Clark, J.F., Stute, M., Schlosser, P. and Drenkard, S., 1997. A tracer study of the Floridan aquifer in southeastern Georgia: Implications for groundwater flow and paleoclimate. *Water Resources Research*, 33(2): 281-289.
- Clifford, S.M., 1993. A Model for the Hydrologic and Climatic Behavior of Water on Mars. *Journal of Geophysical Research-Planets*, 98(E6): 10973-11016.
- Conway D, Krol M, Alcamo J, Hulme M (1996) Future availability of water in Egypt: The interaction of global, regional, and basin scale driving forces in the Nile Basin. *Ambio* 25 (5): 336-342
- Cooper, D.M., Wilkinson, W.B. and Arnell, N.W., 1995. The Effects of Climate Changes on Aquifer Storage and River Baseflow. *Hydrological Sciences Journal-Journal Des Sciences Hydrologiques*, 40(5): 615-631.
- Correia, A. and Safanda, J., 1999. Preliminary ground surface temperature history in mainland Portugal reconstructed from borehole temperature logs. *Tectonophysics*, 306(3-4): 269-275.

- Costigan, K.R., Bossert, J.E. and Langley, D.L., 2000. Atmospheric/hydrologic models for the Rio Grande Basin: simulations of precipitation variability. *Global and Planetary Change*, 25(1-2): 83-110.
- Covich, A.P. et al., 1997. Potential effects of climate change on aquatic ecosystems of the Great Plains of North America. *Hydrological Processes*, 11(8): 993-1021.
- Croley TE, Luukkonen CL (2003) Potential effects of climate change on ground water in Lansing, Michigan. *J. Am. Water Resour. Assoc.* 39(1): 149-163
- Crowley, G.M. and Kershaw, A.P., 1994. Late Quaternary Environmental-Change and Human Impact around Lake Bolac, Western Victoria, Australia. *Journal of Quaternary Science*, 9(4): 367-377.
- Curriero, F.C., Patz, J.A., Rose, J.B. and Lele, S., 2001. The association between extreme precipitation and waterborne disease outbreaks in the United States, 1948-1994. *American Journal of Public Health*, 91(8): 1194-1199.
- Dallai, L., Ghezzi, C. and Longinelli, A., 2001. Fossil hydrothermal systems tracking Eocene climate change in Antarctica. *Geology*, 29(10): 931-934.
- Dean, W., 2002. A 1500-year record of climatic and environmental change in Elk Lake, Clearwater County, Minnesota - II: geochemistry, mineralogy, and stableisotopes. *Journal of Paleolimnology*, 27(3): 301-319.
- Dehn, M., 1999. Application of an analog downscaling technique to the assessment of future landslide activity - a case study in the Italian Alps. *Climate Research*, 13(2): 103-113.
- Dehn, M. and Buma, J., 1999. Modelling future landslide activity based on general circulation models. *Geomorphology*, 30(1-2): 175-187.
- Dehn, M., Burger, G., Buma, J. and Gasparetto, P., 2000. Impact of climate change on slope stability using expanded downscaling. *Engineering Geology*, 55(3): 193-204.
- Dellapenna, J.W., 1996. Rivers as legal structures: The examples of the Jordan and the Nile. *Natural Resources Journal*, 36(2): 217-250.
- Doornkamp, J.C., 1998. Coastal flooding, global warming and environmental management. *Journal of Environmental Management*, 52(4): 327-333.
- Dowrick, D.J. et al., 1999. Nitrous oxide emissions from a gully mire in mid-Wales, UK, under simulated summer drought. *Biogeochemistry*, 44(2): 151-162.
- Drexler, J.Z. and Ewel, K.C., 2001. Effect of the 1997-1998 ENSO-related drought on hydrology and salinity in a Micronesian wetland complex. *Estuaries*, 24(3): 347-356.
- Easterling, W.E., 1996. Adapting North American agriculture to climate change in review. *Agricultural and Forest Meteorology*, 80(1): 1-53.
- Eheart, J.W. and Tornil, D.W., 1999. Low-flow frequency exacerbation by irrigation withdrawals in the agricultural midwest under various climate change scenarios. *Water Resources Research*, 35(7): 2237-2246.
- Eltahir, E.A.B. and Yeh, P., 1999. On the asymmetric response of aquifer water level to floods and droughts in Illinois. *Water Resources Research*, 35(4): 1199-1217.
- Enzel, Y. and Wells, S.G., 1997. Extracting Holocene paleohydrology and paleoclimatology information from modern extreme flood events: An example from southern California. *Geomorphology*, 19(3-4): 203-226.
- Evans, J.C. and Prepas, E.E., 1996. Potential effects of climate change on ion chemistry and phytoplankton communities in prairie saline lakes. *Limnology and Oceanography*, 41(5): 1063-1076.
- Fairchild, I.J. et al., 2001. Annual to sub-annual resolution of multiple trace-element trends in speleothems. *Journal of the Geological Society*, 158: 831-841.
- Fairchild, I.J. et al., 2000. Controls on trace element (Sr-Mg) compositions of carbonate cave waters: implications for speleothem climatic records. *Chemical Geology*, 166(3-4): 255-269.
- Fan, Y., Duffy, C.J. and Oliver, D.S., 1997. Density-driven groundwater flow in closed desert basins: Field investigations and numerical experiments. *Journal of Hydrology*, 196(1-4): 139-184.
- Faure, H., Walter, R.C. and Grant, D.R., 2002. The coastal oasis: ice age springs on emerged continental shelves. *Global and Planetary Change*, 33(1-2): 47-56.

- Feddema, J.J. and Freire, S., 2001. Soil degradation, global warming and climate impacts. *Climate Research*, 17(2): 209-216.
- Ferrari, M.R., Miller, J.R. and Russell, G.L., 1999. Modeling the effect of wetlands, flooding, and irrigation on river flow: Application to the Aral Sea. *Water Resources Research*, 35(6): 1869-1876.
- Ferrier, R.C., Whitehead, P.G. and Miller, J.D., 1993. Potential Impacts of Afforestation and Climate-Change on the Stream Water Chemistry of the Monachyle Catchment. *Journal of Hydrology*, 145(3-4): 453-466.
- Filby, S.K. et al., 2002. Mid-Holocene hydrologic model of the Shingobee Watershed, Minnesota. *Quaternary Research*, 58(3): 246-254.
- Fisher, A.C. and Rubio, S.J., 1997. Adjusting to climate change: Implications of increased variability and asymmetric adjustment costs for investment in water reserves. *Journal of Environmental Economics and Management*, 34(3): 207-227.
- Fleming, S.W. and Clark, P.U., 2000. Investigation of water pressure transients beneath temperate glaciers using numerical groundwater flow experiments. *Journal of Quaternary Science*, 15(6): 567-572.
- Foote, A.L., Pandey, S. and Krogman, N.T., 1996. Processes of wetland loss in India. *Environmental Conservation*, 23(1): 45-54.
- Frederick, K.D., 1993. Climate-Change Impacts on Water-Resources and Possible Responses in the Mink Region. *Climatic Change*, 24(1-2): 83-115.
- Frei, A., Armstrong, R.L., Clark, M.P. and Serreze, M.C., 2002. Catskill mountain water resources: Vulnerability, hydroclimatology, and climate-change sensitivity. *Annals of the Association of American Geographers*, 92(2): 203-224.
- Galbraith, H. et al., 2002. Global climate change and sea level rise: Potential losses of intertidal habitat for shorebirds. *Waterbirds*, 25(2): 173-183.
- Gambolati, G., Teatini, P., Tomasi, L. and Gonella, M., 1999. Coastline regression of the Romagna region, Italy, due to natural and anthropogenic land subsidence and sea level rise. *Water Resources Research*, 35(1): 163-184.
- Gasse, F., Barker, P., Gell, P.A., Fritz, S.C. and Chalief, F., 1997. Diatom-inferred salinity in palaeolakes: An indirect tracer of climate change. *Quaternary Science Reviews*, 16(6): 547-563.
- Gellens, D., 1991. Impact of a Co-2-Induced Climatic-Change on River Flow Variability in 3 Rivers in Belgium. *Earth Surface Processes and Landforms*, 16(7): 619-625.
- Gellens, D. and Roulin, E., 1998. Streamflow response of Belgian catchments to IPCC climate change scenarios. *Journal of Hydrology*, 210(1-4): 242-258.
- Gill, T.E., 1996. Eolian sediments generated by anthropogenic disturbance of playas: Human impacts on the geomorphic system and geomorphic impacts on the human system. *Geomorphology*, 17(1-3): 207-228.
- Gilvear, D.J., Heal, K.V. and Stephen, A., 2002. Hydrology and the ecological quality of Scottish river ecosystems. *Science of the Total Environment*, 294(1-3): 131-159.
- Gislason, G.M., Olafsson, J.S. and Adalsteinsson, H., 2000. Life in glacial and alpine rivers in central Iceland in relation to physical and chemical parameters. *Nordic Hydrology*, 31(4-5): 411-422.
- Gornitz, V., Rosenzweig, C. and Hillel, D., 1997. Effects of anthropogenic intervention in the land hydrologic cycle on global sea level rise. *Global and Planetary Change*, 14(3-4): 147-161.
- Gronow, J., 1999. The role of landfills in the United Kingdom. *Waste Management & Research*, 17(6): 409-412.
- Gunn, J.M., 2002. Impact of the 1998 El Nino event on a lake charr, *Salvelinus namaycush*, population recovering from acidification. *Environmental Biology of Fishes*, 64(1-3): 343-351.
- Haas, G. and Wetterich, F., 2000. Optimizing agri-environmental program to reduce negative environmental impact in the Allgaeu region using life cycle assessment. *Berichte Uber Landwirtschaft*, 78(1): 92-105.
- Halldin, S. et al., 1999. Continuous long-term measurements of soil-plant-atmosphere variables at an agricultural site. *Agricultural and Forest Meteorology*, 98-9: 75-102.
- Hartig, E.K., Grozev, O. and Rosenzweig, C., 1997. Climate change, agriculture and wetlands in Eastern Europe: Vulnerability, adaptation and policy. *Climatic Change*, 36(1-2): 107-121.

- Higuera-Gundy, A. et al., 1999. A 10,300 C-14 yr record of climate and vegetation change from Haiti. *Quaternary Research*, 52(2): 159-170.
- Hiscock, K.M., Lister, D.H., Boar, R.R. and Green, F.M.L., 2001. An integrated assessment of long-term changes in the hydrology of three lowland rivers in eastern England. *Journal of Environmental Management*, 61(3): 195-214.
- Hoffman, P.F., 1993. The Crisis in Lithospheric Research. *Geoscience Canada*, 20(3): 91-94.
- Holman IP, Loveland PJ (eds.) (2001) Regional Climate Change Impacts in East Anglia and the North West (the RegIS project). Final report of MAFF Project No. CC0337 (available from [www.ukcip.org.uk](http://www.ukcip.org.uk)).
- Holman IP, Loveland PJ, Nicholls RJ, Shackley S, Berry PM, Rounsevell MDA, Audsley E, Harrison PA, Wood R (2001a) RegIS – Regional Climate Change Impact Response Studies in East Anglia and North West England. DEFRA, London, p.20, (available from [www.ukcip.org.uk](http://www.ukcip.org.uk))
- Holman IP, Loveland PJ, Najarro P (2001) 'Integrated Impacts on Water' in Holman, I.P. and Loveland, P.J. (eds.): 2001b. Regional Climate Change Impacts in East Anglia and the North West (the RegIS project). Final report of MAFF Project No. CC0337 (available from [www.ukcip.org.uk](http://www.ukcip.org.uk))
- Huang, H.M. et al., 2001. Seasonal variations in Sr, Mg and P in modern speleothems (Grotta di Ernesto, Italy). *Chemical Geology*, 175(3-4): 429-448.
- Huang, Y.M. and Fairchild, I.J., 2001. Partitioning of Sr<sup>2+</sup> and Mg<sup>2+</sup> into calcite under karst-analogue experimental conditions. *Geochimica Et Cosmochimica Acta*, 65(1): 47-62.
- Huntington, T.G., 1996. Predicting watershed acidification under alternate rainfall conditions. *Water Air and Soil Pollution*, 90(3-4): 429-450.
- Jones, R.N., McMahon, T. and Bowler, J.M., 2001. Modelling historical lake levels and recent climate change at three closed lakes, Western Victoria, Australia (c.1840-1990). *Journal of Hydrology*, 246(1-4): 159-180.
- Jorgensen, D.G. and al-Tikiriti, W.Y., 2003. A hydrologic and archeologic study of climate change in Al Ain, United Arab Emirates. *Global and Planetary Change*, 35(1-2): 37-49.
- Keating EH, Vesselinov VV, Kwicklis E, Lu ZM (2003) Coupling basin- and site-scale inverse models of the Espanola aquifer. *Ground water* 41 (2): 200-211
- Kennedy, P.L., Woodbury, A.D. and Wang, K.L., 2000. Minimum Relative Entropy: Theory and application to surface temperature reconstruction from borehole temperature measurements. *Geophysical Research Letters*, 27(19): 3081-3084.
- Kent, M., Newnham, R. and Essex, S., 2002. Tourism and sustainable water supply in Mallorca: a geographical analysis. *Applied Geography*, 22(4): 351-374.
- Kertesz, A. and Mika, J., 1999. Aridification - climate change in south-eastern Europe. *Physics and Chemistry of the Earth Part a-Solid Earth and Geodesy*, 24(10): 913-920.
- Keser, M., Swenarton, J.T., Vozarik, J.M. and Foertch, J.F., 2003. Decline in eelgrass (*Zostera marina* L.) in Long Island Sound near Millstone Point, Connecticut (USA) unrelated to thermal input. *Journal of Sea Research*, 49(1): 11-26.
- Kilsby, C.G. et al., 1999. The UP modelling system for large scale hydrology: simulation of the Arkansas-Red River basin. *Hydrology and Earth System Sciences*, 3(1): 137-149.
- Kirshen, P.H., 2002. Potential impacts of global warming on groundwater in eastern Massachusetts. *Journal of Water Resources Planning and Management-Asce*, 128(3): 216-226.
- Kotler, E. and Burn, C.R., 2000. Cryostratigraphy of the Klondike "muck" deposits, west-central Yukon Territory. *Canadian Journal of Earth Sciences*, 37(6): 849-861.
- Kruger, A., Ulbrich, U. and Speth, P., 2001. Groundwater recharge in Northrhine-Westfalia predicted by a statistical model for greenhouse gas scenarios. *Physics and Chemistry of the Earth Part B-Hydrology Oceans and Atmosphere*, 26(11-12): 853-861.
- Krysanova, V., Muller-Wohlfeil, D.I. and Becker, A., 1998. Development and test of a spatially distributed hydrological water quality model for mesoscale watersheds. *Ecological Modelling*, 106(2-3): 261-289.

- Lamb, A.L., Leng, M.J., Lamb, H.F., Telford, R.J. and Mohammed, M.U., 2002. Climatic and non-climatic effects on the delta O-18 and delta C-13 compositions of Lake Awassa, Ethiopia, during the last 6.5 ka. *Quaternary Science Reviews*, 21(20-22): 2199-2211.
- Langusch, J.J. and Matzner, E., 2002. Long-term modelling of nitrogen turnover and critical loads in a forested catchment using the INCA model. *Hydrology and Earth System Sciences*, 6(3): 395-402.
- Larson, D.L., 1995. Effects of Climate on Numbers of Northern Prairie Wetlands. *Climatic Change*, 30(2): 169-180.
- Lasch, P., Lindner, M., Erhard, M., Suckow, F. and Wenzel, A., 2002. Regional impact assessment on forest structure and functions under climate change - the Brandenburg case study. *Forest Ecology and Management*, 162(1): 73-86.
- Lee, J.W. and Li, R.F., 2003. Integration of fossil energy systems with CO<sub>2</sub> sequestration through NH<sub>4</sub>HCO<sub>3</sub> production. *Energy Conversion and Management*, 44(9): 1535-1546.
- Leeder, M.R. and Mack, G.H., 2001. Lateral erosion ('toe-cutting') of alluvial fans by axial rivers: implications for basin analysis and architecture. *Journal of the Geological Society*, 158: 885-893.
- Li, Y.L., Wang, Y.X. and Deng, A.L., 2001. Paleoclimate record and paleohydrogeological analysis of travertine from the Niangziguan Karst Springs, northern China. *Science in China Series E-Technological Sciences*, 44: 114-118.
- Limbrick, K.J., Whitehead, P.G., Butterfield, D. and Reynard, N., 2000. Assessing the potential impacts of various climate change scenarios on the hydrological regime of the River Kennet at Theale, Berkshire, south-central England, UK: an application and evaluation of the new semi-distributed model, INCA. *Science of the Total Environment*, 251: 539-555.
- Lipp, J., Trimborn, P., Edwards, T., Waisel, Y. and Yakir, D., 1996. Climatic effects on the delta O-18 and delta C-13 of cellulose in the desert tree *Tamarix jordanis*. *Geochimica Et Cosmochimica Acta*, 60(17): 3305-3309.
- Loaiciga, H.A., Maidment, D.R. and Valdes, J.B., 2000. Climate-change impacts in a regional karst aquifer, Texas, USA. *Journal of Hydrology*, 227(1-4): 173-194.
- Lofgren, B.M. et al., 2002. Evaluation of potential impacts on Great Lakes water resources based on climate scenarios of two GCMs. *Journal of Great Lakes Research*, 28(4): 537-554.
- Loope, D.B., Swinehart, J.B. and Mason, J.P., 1995. Dune-Dammed Paleovalleys of the Nebraska Sand Hills - Intrinsic Versus Climatic Controls on the Accumulation of Lake and Marsh Sediments. *Geological Society of America Bulletin*, 107(4): 396-406.
- Loukas, A., Vasiliades, L. and Dalezios, N.R., 2002. Climatic impacts on the runoff generation processes in British Columbia, Canada. *Hydrology and Earth System Sciences*, 6(2): 211-227.
- Lowenstein, T.K. et al., 2003. An assessment of stratigraphic completeness in climate-sensitive closed-basin lake sediments: Salar de Atacama, Chile. *Journal of Sedimentary Research*, 73(1): 91-104.
- Lundin, L.C. et al., 1999. Continuous long-term measurements of soil-plant-atmosphere variables at a forest site. *Agricultural and Forest Meteorology*, 98-9: 53-73.
- Mackey, A.P. and Berrie, A.D., 1991. The Prediction of Water Temperatures in Chalk Streams from Air Temperatures. *Hydrobiologia*, 210(3): 183-189.
- Magee, J.W. and Miller, G.H., 1998. Lake Eyre palaeohydrology from 60 ka to the present: beach ridges and glacial maximum aridity. *Palaeogeography Palaeoclimatology Palaeoecology*, 144(3-4): 307-329.
- Matilainen, T., Verta, M., Korhonen, H., Uusi-Rauva, A. and Niemi, M., 2001. Behavior of mercury in soil profiles: Impact of increased precipitation, acidity, and fertilization on mercury methylation. *Water Air and Soil Pollution*, 125(1-4): 105-119.
- Maurice, P.A., Cabaniss, S.E., Drummond, J. and Ito, E., 2002. Hydrogeochemical controls on the variations in chemical characteristics of natural organic matter at a small freshwater wetland. *Chemical Geology*, 187(1-2): 59-77.
- McFadden, L.D. and McAuliffe, J.R., 1997. Lithologically influenced geomorphic responses to Holocene climatic changes in the Southern Colorado Plateau, Arizona: A soil-geomorphic and ecologic perspective. *Geomorphology*, 19(3-4): 303-332.

- McMurtry, G.M. et al., 1999. Stratigraphic constraints on the timing and emplacement of the Alika 2 giant Hawaiian submarine landslide. *Journal of Volcanology and Geothermal Research*, 94(1-4): 35-58.
- Meadows, G.A., Meadows, L.A., Wood, W.L., Hubertz, J.M. and Perlin, M., 1997. The relationship between great lakes water levels, wave energies, and shoreline damage. *Bulletin of the American Meteorological Society*, 78(4): 675-683.
- Meigh, J.R., McKenzie, A.A. and Sene, K.J., 1999. A grid-based approach to water scarcity estimates for eastern and southern Africa. *Water Resources Management*, 13(2): 85-115.
- Messerli, B. et al., 1993. Climate-Change and Natural-Resource Dynamics of the Atacama Altiplano During the Last 18,000 Years - a Preliminary Synthesis. *Mountain Research and Development*, 13(2): 117-127.
- Michel, F.A. and Vaneverdingen, R.O., 1994. Changes in Hydrogeologic Regimes in Permafrost Regions Due to Climatic-Change. *Permafrost and Periglacial Processes*, 5(3): 191-195.
- Motovilov, Y.G., Gottschalk, L., Engeland, K. and Rodhe, A., 1999. Validation of a distributed hydrological model against spatial observations. *Agricultural and Forest Meteorology*, 98-9: 257-277.
- Muhlherr, I.H. and Hiscock, K.M., 1998. Nitrous oxide production and consumption in British limestone aquifers. *Journal of Hydrology*, 211(1-4): 126-139.
- Neff, R. et al., 2000. Impact of climate variation and change on Mid-Atlantic Region hydrology and water resources. *Climate Research*, 14(3): 207-218.
- Nelson, S.T. et al., 2001. Paleohydrologic record of spring deposits in and around Pleistocene pluvial Lake Tecopa, southeastern California. *Geological Society of America Bulletin*, 113(5): 659-670.
- Nicholson, K., 1992. Genetic Types of Manganese Oxide Deposits in Scotland - Indicators of Paleo-Ocean-Spreading Rate and a Devonian Geochemical Mobility Boundary. *Economic Geology and the Bulletin of the Society of Economic Geologists*, 87(5): 1301-1309.
- Norton, S.A., Cosby, B.J., Fernandez, I.J., Kahl, J.S. and Church, M.R., 2001. Long-term and seasonal variations in CO<sub>2</sub>: linkages to catchment alkalinity generation. *Hydrology and Earth System Sciences*, 5(1): 83-91.
- O'Connor, R.E. et al., 1999. Weather and climate extremes, climate change, and planning - Views of community water system managers in Pennsylvania's Susquehanna River Basin. *Journal of the American Water Resources Association*, 35(6): 1411-1419.
- O'Leary GJ (1996) The effects of conservation tillage on potential groundwater recharge. *Agricultural Water Management* 31(1-2): 65-73
- Oliver, H.R., Chaloner, W.G. and Rose, J., 1999. TIGGER: NERC-stimulated research into the geological perspective of terrestrial global environmental research. *Journal of the Geological Society*, 156: 341-344.
- Panagoulia, D. and Dimou, G., 1996. Sensitivities of groundwater-streamflow interaction to global climate change. *Hydrological Sciences Journal-Journal Des Sciences Hydrologiques*, 41(5): 781-796.
- Pockl, M., Webb, B.W. and Sutcliffe, D.W., 2003. Life history and reproductive capacity of *Gammarus fossarum* and *G. roeseli* (Crustacea : Amphipoda) under naturally fluctuating water temperatures: a simulation study. *Freshwater Biology*, 48(1): 53-66.
- Pont, D. et al., 2002. Response scenarios for the deltaic plain of the Rhone in the face of an acceleration in the rate of sea-level rise with special attention to Salicornia-type environments. *Estuaries*, 25(3): 337-358.
- Price, M., 1998. Water storage and climate change in Great Britain - the role of groundwater. *Proceedings of the Institution of Civil Engineers-Water Maritime and Energy*, 130(1): 42-50.
- Pringle, C.M., 2001. Hydrologic connectivity and the management of biological reserves: A global perspective. *Ecological Applications*, 11(4): 981-998.
- Punthakey, J.F. et al., 1996. Assessing impacts of basin management and environmental change in the Eastern Murray Basin. *Environmental Software*, 11(1-3): 135-142.
- Putkonen, J., 1998. Soil thermal properties and heat transfer processes near Ny- Alesund, northwestern Spitsbergen, Svalbard. *Polar Research*, 17(2): 165-179.
- Quade, J., Mifflin, M.D., Pratt, W.L., McCoy, W. and Burckle, L., 1995. Fossil Spring Deposits in the Southern Great-Basin and Their Implications for Changes in Water-Table Levels near Yucca Mountain, Nevada, During Quaternary Time. *Geological Society of America Bulletin*, 107(2): 213-230.



- Rango, A., 1994. Application of Remote-Sensing Methods to Hydrology and Water- Resources. *Hydrological Sciences Journal-Journal Des Sciences Hydrologiques*, 39(4): 309-320.
- Reed, J.M., Roberts, N. and Leng, M.J., 1999. An evaluation of the diatom response to Late Quaternary environmental change in two lakes in the Konya Basin, Turkey, by comparison with stable isotope data. *Quaternary Science Reviews*, 18(4-5): 631-646.
- Regina, K., Silvola, J. and Martikainen, P.J., 1999. Short-term effects of changing water table on N<sub>2</sub>O fluxes from peat monoliths from natural and drained boreal peatlands. *Global Change Biology*, 5(2): 183-189.
- Reheis, M.C. et al., 1996. Late quaternary sedimentation on the Leidy Creek fan, Nevada- California: Geomorphic responses to climate change. *Basin Research*, 8(3): 279-299.
- Reichstein, M. et al., 2002. Severe drought effects on ecosystem CO<sub>2</sub> and H<sub>2</sub>O fluxes at three Mediterranean evergreen sites: revision of current hypotheses? *Global Change Biology*, 8(10): 999-1017.
- Roberts, M.S., Smart, P.L. and Baker, A., 1998. Annual trace element variations in a Holocene speleothem. *Earth and Planetary Science Letters*, 154(1-4): 237-246.
- Rose, J.B. et al., 2000. Climate and waterborne disease outbreaks. *Journal American Water Works Association*, 92(9): 77-87.
- Rosenberg, N.J. et al., 1999. Possible impacts of global warming on the hydrology of the Ogallala aquifer region. *Climatic Change*, 42(4): 677-692.
- Rosenmeier, M.F., Hodell, D.A., Brenner, M., Curtis, J.H. and Guilderson, T.P., 2002a. A 4000-year lacustrine record of environmental change in the southern Maya lowlands, Peten, Guatemala. *Quaternary Research*, 57(2): 183-190.
- Rosenmeier, M.F. et al., 2002b. Influence of vegetation change on watershed hydrology: implications for paleoclimatic interpretation of lacustrine delta O-18 records. *Journal of Paleolimnology*, 27(1): 117-131.
- Roy, P. and Connell, J., 1991. Climatic-Change and the Future of Atoll States. *Journal of Coastal Research*, 7(4): 1057-1075.
- Sahagian, D., 2000. Global physical effects of anthropogenic hydrological alterations: sea level and water redistribution. *Global and Planetary Change*, 25(1-2): 39-48.
- Sandstrom, K., 1995. Modeling the effects of rainfall variability on groundwater recharge in semi-arid Tanzania. *Nordic Hydrology*, 26(4-5): 313-330.
- Scanlon, B.R., Langford, R.P. and Goldsmith, R.S., 1999. Relationship between geomorphic settings and unsaturated flow in an arid setting. *Water Resources Research*, 35(4): 983-999.
- Schiff, S. et al., 1998. Precambrian shield wetlands: Hydrologic control of the sources and export of dissolved organic matter. *Climatic Change*, 40(2): 167-188.
- Schulze, E.D. et al., 1996. Rooting depth, water availability, and vegetation cover along an aridity gradient in Patagonia. *Oecologia*, 108(3): 503-511.
- Seacrest, S., Kuzelka, R. and Leonard, R., 2000. Global climate change and public perception: The challenge of translation. *Journal of the American Water Resources Association*, 36(2): 253-263.
- Shao, G.F., Shugart, H.H. and Young, D.R., 1995. Simulation of Transpiration Sensitivity to Environmental-Changes for Shrub (*Myrica-Cerifera*) Thickets on a Virginia Barrier-Island. *Ecological Modelling*, 78(3): 235-248.
- Sherif, M.M. and Singh, V.P., 1999. Effect of climate change on sea water intrusion in coastal aquifers. *Hydrological Processes*, 13(8): 1277-1287.
- Shibata, H., Mitsuhashi, H., Miyake, Y. and Nakano, S., 2001. Dissolved and particulate carbon dynamics in a cool-temperate forested basin in northern Japan. *Hydrological Processes*, 15(10): 1817-1828.
- Siegel, D.I., Reeve, A.S., Glaser, P.H. and Romanowicz, E.A., 1995. Climate-Driven Flushing of Pore-Water in Peatlands. *Nature*, 374(6522): 531-533.
- Singer, M.J. and Warkentin, B.P., 1996. Soils in an environmental context: An American perspective. *Catena*, 27(3-4): 179-189.

- Sinokrot, B.A., Stefan, H.G., McCormick, J.H. and Eaton, J.G., 1995. Modeling of Climate-Change Effects on Stream Temperatures and Fish Habitats Below Dams and near Groundwater Inputs. *Climatic Change*, 30(2): 181-200.
- Sivapalan, M., Ruprecht, J.K. and Viney, N.R., 1996. Water and salt balance modelling to predict the effects of land-use changes in forested catchments .1. Small catchment water balance model. *Hydrological Processes*, 10(3): 393-411.
- Stephens W, Hess TM, Knox J (2001) Review of the effects of energy crops on hydrology. Cranfield University report for Ministry of Agriculture, Fisheries and Food. Available from <http://www.silsoe.cranfield.ac.uk/iwe/research/src.htm>
- Stoate, C. et al., 2001. Ecological impacts of arable intensification in Europe. *Journal of Environmental Management*, 63(4): 337-365.
- Sun, G., Amatya, D.M., McNulty, S.G., Skaggs, R.W. and Hughes, J.H., 2000. Climate change impacts on the hydrology and productivity of a pine plantation. *Journal of the American Water Resources Association*, 36(2): 367-374.
- Sun, G. et al., 2002. A comparison of the watershed hydrology of coastal forested wetlands and the mountainous uplands in the Southern US. *Journal of Hydrology*, 263(1-4): 92-104.
- Swift, P.N. and Corbet, T.F., 2000. The geologic and hydrogeologic setting of the Waste Isolation Pilot Plant. *Reliability Engineering & System Safety*, 69(1-3): 47-58.
- Taminskas, J. and Marcinkevicius, V., 2002. Karst geoindicators of environmental change: The case of Lithuania. *Environmental Geology*, 42(7): 757-766.
- Taniguchi, M., 2002. Estimations of the past groundwater recharge rate from deep borehole temperature data. *Catena*, 48(1-2): 39-51.
- Taniguchi, M. et al., 1999a. Disturbances of temperature-depth profiles due to surface climate change and subsurface water flow: 1. An effect of linear increase in surface temperature caused by global warming and urbanization in the Tokyo metropolitan area, Japan. *Water Resources Research*, 35(5): 1507-1517.
- Taniguchi, M., Williamson, D.R. and Peck, A.J., 1999b. Disturbances of temperature-depth profiles due to surface climate change and subsurface water flow: 2. An effect of step increase in surface temperature caused by forest clearing in southwest Western Australia. *Water Resources Research*, 35(5): 1519-1529.
- Tebbens, L.A., Veldkamp, A., Westerhoff, W. and Kroonenberg, S.B., 1999. Fluvial incision and channel downcutting as a response to Late-glacial and Early Holocene climate change: the lower reach of the River Meuse (Maas), The Netherlands. *Journal of Quaternary Science*, 14(1): 59-75.
- Telford, R.J. and Lamb, H.F., 1999. Groundwater-mediated response to Holocene climatic change recorded by the diatom stratigraphy of an Ethiopian crater lake. *Quaternary Research*, 52(1): 63-75.
- Telford, R.J., Lamb, H.F. and Mohammed, M.U., 1999. Diatom-derived palaeoconductivity estimates for Lake Awassa, Ethiopia: evidence for pulsed inflows of saline groundwater? *Journal of Paleolimnology*, 21(4): 409-421.
- Thies, H., 1994. Chemical-Properties of an Acidified Humic Headwater Lake with Respect to Reducing Acidic Depositions and Expected Climate- Change. *Hydrobiologia*, 274(1-3): 143-154.
- Toetz, D., 1995. Water chemistry and periphyton in an alpine wetland. *Hydrobiologia*, 312(2): 93-105.
- Turgeon, S. and Lundberg, J., 2001. Chronology of discontinuities and petrology of speleothems as paleoclimatic indicators of the Klamath Mountains, Southwest Oregon, USA. *Carbonates and Evaporites*, 16(2): 153-167.
- Vaccaro, J.J., 1992. Sensitivity of Groundwater Recharge Estimates to Climate Variability and Change, Columbia Plateau, Washington. *Journal of Geophysical Research-Atmospheres*, 97(D3): 2821-2833.
- Vallet-Coulomb, C., Legesse, D., Gasse, F., Travi, Y. and Chernet, T., 2001. Lake evaporation estimates in tropical Africa (Lake Ziway, Ethiopia). *Journal of Hydrology*, 245(1-4): 1-18.
- van der Linden, S. and Woo, M.K., 2003. Transferability of hydrological model parameters between basins in data-sparse areas, subarctic Canada. *Journal of Hydrology*, 270(3-4): 182-194.
- Van Geel, B. et al., 1998. The sharp rise of Delta C-14 ca. 800 cal BC: Possible causes, related climatic teleconnections and the impact on human environments. *Radiocarbon*, 40(1): 535-550.

- Vance, R.E., Last, W.M. and Smith, A.J., 1997. Hydrologic and climatic implications of a multidisciplinary study of late Holocene sediment from Kenosee Lake, southeastern Saskatchewan, Canada. *Journal of Paleolimnology*, 18(4): 365-393.
- VanGeel, B., Buurman, J. and Waterbolk, H.T., 1996. Archaeological and palaeoecological indications of an abrupt climate change in The Netherlands, and evidence for climatological teleconnections around 2650 BP. *Journal of Quaternary Science*, 11(6): 451-460.
- Ventura, F., Pisa, P.R. and Ardizzoni, E., 2002. Temperature and precipitation trends in Bologna (Italy) from 1952 to 1999. *Atmospheric Research*, 61(3): 203-214.
- Verheyden, S., Keppens, E., Fairchild, I.J., McDermott, F. and Weis, D., 2000. Mg, Sr and Sr isotope geochemistry of a Belgian Holocene speleothem: implications for paleoclimate reconstructions. *Chemical Geology*, 169(1-2): 131-144.
- Voss R, May W, Roeckner E (2002) Enhanced resolution modelling study on anthropogenic climate change: Changes in extremes of the hydrological cycle. *Int. J. Climatol.* 22(7): 755-777
- Waller, M.P., Long, A.J., Long, D. and Innes, J.B., 1999. Patterns and processes in the development of coastal mire vegetation: Multi-site investigations from Walland Marsh, Southeast England. *Quaternary Science Reviews*, 18(12): 1419-1444.
- Waters, M.R. and Haynes, C.V., 2001. Late Quaternary arroyo formation and climate change in the American Southwest. *Geology*, 29(5): 399-402.
- Wedgbrow, C.S., Wilby, R.L., Fox, H.R. and O'Hare, G., 2002. Prospects for seasonal forecasting of summer drought and low river flow anomalies in England and Wales. *International Journal of Climatology*, 22(2): 219-236.
- Whitmore, T.J., Brenner, M., Curtis, J.H., Dahlin, B.H. and Leyden, B.W., 1996. Holocene climatic and human influences on lakes of the Yucatan Peninsula, Mexico: An interdisciplinary, palaeolimnological approach. *Holocene*, 6(3): 273-287.
- Wilkinson, W.B. and Cooper, D.M., 1993. The Response of Idealized Aquifer River Systems to Climate-Change. *Hydrological Sciences Journal-Journal Des Sciences Hydrologiques*, 38(5): 379-390.
- Wilmot, R.D., 1993. The Treatment of Climate-Driven Environmental-Change and Associated Uncertainty in Post-Closure Assessments. *Reliability Engineering & System Safety*, 42(2-3): 181-200.
- Winstanley, D. and Changnon, S.A., 1999. Long-term variations in seasonal, weather conditions important to water resources in Illinois. *Journal of the American Water Resources Association*, 35(6): 1421-1427.
- Winter, T.C., 2000. The vulnerability of wetlands to climate change: A hydrologic landscape perspective. *Journal of the American Water Resources Association*, 36(2): 305-311.
- Winter, T.C. and Rosenberry, D.O., 1998. Hydrology of prairie pothole wetlands during drought and deluge: A 17-year study of the cottonwood lake wetland complex in North Dakota in the perspective of longer term measured and proxy hydrological records. *Climatic Change*, 40(2): 189-209.
- Wolfe, B.B., Aravena, R., Abbott, M.B., Seltzer, G.O. and Gibson, J.J., 2001. Reconstruction of paleohydrology and paleohumidity from oxygen isotope records in the Bolivian Andes. *Palaeogeography Palaeoclimatology Palaeoecology*, 176(1-4): 177-192.
- Wolock, D.M., McCabe, G.J., Tasker, G.D. and Moss, M.E., 1993. Effects of Climate-Change on Water-Resources in the Delaware River Basin. *Water Resources Bulletin*, 29(3): 475-486.
- Wood, W.W., 2002. Role of ground water in geomorphology, geology, and paleoclimate of the Southern High Plains, USA. *Ground Water*, 40(4): 438-447.
- Xu, C.Y., 1999. Operational testing of a water balance model for predicting climate change impacts. *Agricultural and Forest Meteorology*, 98-9: 295-304.
- Yansa, C.H., 1998. Holocene paleovegetation and paleohydrology of a prairie pothole in southern Saskatchewan, Canada. *Journal of Paleolimnology*, 19(4): 429-441.
- Yapp, C., 2001. Rusty relics of earth history: Iron(III) oxides, isotopes, and surficial environments. *Annual Review of Earth and Planetary Sciences*, 29: 165-199.
- York, J.P., Filby, S., Person, M., Wright, H. and Gutowski, W.J., 2000. A Holocene hydrologic model of the Crow Wing Watershed, Minnesota. *Journal of Geochemical Exploration*, 69: 419-422.

- Yu, Z.C., Turetsky, M.R., Campbell, I.D. and Vitt, D.H., 2001. Modelling long-term peatland dynamics. II. Processes and rates as inferred from litter and peat-core data. *Ecological Modelling*, 145(2-3): 159-173.
- Yusoff I, Hiscock KM, Conway D (2002) Simulation of the impacts of climate change on groundwater resources in eastern England. In: Hiscock KM, Rivett MO, Davidson RM (eds) *Sustainable Groundwater Development*. Geological Society, London, Special Publications, 193: 325-344
- Zektser, I.S. and Loaiciga, H.A., 1993. Groundwater Fluxes in the Global Hydrologic-Cycle - Past, Present and Future. *Journal of Hydrology*, 144(1-4): 405-427.
- Zhu, C., Waddell, R.K., Star, I. and Ostrander, M., 1998. Responses of ground water in the Black Mesa basin, northeastern Arizona, to paleoclimatic changes during the late Pleistocene and Holocene. *Geology*, 26(2): 127-130.